




---

# Survival Analysis of NHL Prospect Timelines

Namita Nandakumar  
Wharton School, University of Pennsylvania  
The Athletic Philly, Hockey Graphs  
@nnstats

RIT Hockey Analytics Conference 2017

---




---

# What do we know about hockey?

- Well, we know some stuff about what players do after they make it to the NHL.
- We know a bit about the variables that affect teams' draft decisions.
- We know almost nothing about the factors that drive what happens in between.

**Draft** → **〜\\_(ツ)\_/〜** → **NHL**

---



---


# What's the existing literature?

- I couldn't find much, so I wrote an article for [The Athletic Philly](#).
- I tried to answer 2 questions:

**How long** does it take for different types of prospects to make it to the NHL?

How does this prospect timeline relate to the **value** they eventually create for their NHL teams?

---



---

# My Original Methodology

- Classify “making an NHL roster” as 40+ NHL games played in a single season\*.
- Look at the distribution of prospect timelines stratified by draft round and position for the ‘07-12 drafts.
- Test for a statistically significant relationship between time until making a roster and NHL impact.


\* All of these analyses are looking exclusively at skaters.

---

---


## Stratification of Draft Round and Position

Time Until Making an NHL Roster  
(First Season of 40+ NHL Games Played)



---

## NHL Value Distributions by Timeline




*Game Score  
courtesy of Dom  
Luszczyszyn*

---

# What are some problems with my approach?

A month ago,  
I thought it was a  
pretty good article.


- *Limiting the Data*: I excluded recently drafted players and binned longer timelines.
- *Loss of Granularity*: We don't know when, within a season, these prospects played.
- *Arbitrary Cutoffs*: 40 games? Who cares about 40 games?
- *Undefined Effects*: We know that variables like position and draft round have effects, but what are they?



# Survival Analysis

- Often used to answer questions in fields such as biostatistics and marketing.

*How long do patients live after treatment? How long do customers go before trying our products?*



*How long do prospects develop before making the NHL?*

- Good for dealing with right-censored data, like most recent draftees.
- Can estimate the effects of covariates like draft position and size.
- Usually a tradeoff between imposing very few assumptions vs. ease of interpreting and predicting outcomes.



---

What does the data look like?

### 1st Game Benchmark:

time	status	year	round	overall	team	player
1	1	2015	1	1	EDM	CONNOR.MCDAVID
1	1	2015	1	2	BUF	JACK.EICHEL
84	1	2015	1	3	ARI	DYLAN.STROME
83	1	2015	1	4	TOR	MITCHELL.MARNER
1	1	2015	1	5	CAR	NOAH.HANIFIN
82	1	2015	1	6	NJD	PAVEL.ZACHA
83	1	2015	1	7	PHI	IVAN.PROVOROV

**Time:** regular season games since draft day

I decided to evaluate time until 1st, 10th, 40th, and 80th career games.


### 80th Game Benchmark:

time	status	year	round	overall	team	player
117	1	2015	1	1	EDM	CONNOR.MCDAVID
81	1	2015	1	2	BUF	JACK.EICHEL
164	0	2015	1	3	ARI	DYLAN.STROME
164	0	2015	1	4	TOR	MITCHELL.MARNER
83	1	2015	1	5	CAR	NOAH.HANIFIN
164	0	2015	1	6	NJD	PAVEL.ZACHA
162	1	2015	1	7	PHI	IVAN.PROVOROV

**Status:** 1 if entry into the NHL was observed at that time, 0 if it hasn't happened by the end of the 2016-17 regular season

---

### Draft Prospect "Survival" Curves Time Until nth Career NHL Game



Kaplan-Meier Curves: All Skaters

# Cox Proportional Hazards Model

In 20 seconds.

- Semi-parametric.
- Can estimate the multiplicative effects of covariates.
- (Relative) ease of interpretation.
- Using a baseline hazard estimator (Breslow), we can compute “survival” curves for individual players.



---

# Before We Discuss Covariates...

Remember that the process of prospect entry into the NHL is governed by two distinct features:

- Player quality + performance at lower levels.
- Team needs + preferences.

=====

The answer to the question  
*"Why is this covariate value associated with prospects making it to the NHL earlier?"*  
can really be a mix of two answers:


- =====
- The variable is associated with better quality players.
  - The variable is associated with players that teams like and/or feel that they particularly need.
-

# Covariate Effects

***hazard rate (HR) =***

*P(entering the league at time  $t$   
given that you haven't by  $t-1$ )*

- + 1 pound heavier = ~1% increase in HR
- + 1 draft round = ~45% decrease in HR
- defensemen = ~10% decrease in HR  
(not statistically significant!)
- North American = ~35% decrease in HR
- + 1 inch taller = ~10% decrease in HR
- + 1 year older = ~47% increase in HR




# Effects of Draft Round + Pick #

The effect between picks  
dissipates quickly, but the  
effect between rounds  
remains important!

40th NHL Game Benchmark




Cox Model Validation: Draft Round



Regular Season Games Since Draft Day


Cox Model Validation: Nationality



Regular Season Games Since Draft Day

Graphical Validation of Cox Model: 40th NHL Game Benchmark

### Draft Prospect "Survival" Curves Time Until 80th NHL Game




Prospect Projections: 2017 Draft



# Additional Questions

For the future.

- Should we include additional covariates (ex. junior point production)?
- How do these NHL timeline estimates relate to eventual NHL performance?
- After a prospect makes a roster, is staying in the NHL a time-varying Markov chain?
- Which teams over- and under-season their prospects to a significant degree?



# Thank you!

To all of you for listening, but in particular, to:

- Prof. Shane Jensen (Wharton Statistics) and Elliot Oblander (Wharton) for the analytical advice.
- Manny Perry (corsica.hockey) for providing me with NHL game data.

If you liked this presentation, I'm @nnstats on Twitter.  
If not, I'm @charlieo\_conn.

---

# Appendix: Cox PH Model Output

1st Game  
Benchmark

	coef	exp(coef)	se(coef)	z	Pr(> z )
height	-1.131e-01	8.930e-01	2.348e-02	-4.818	1.45e-06 ***
weight	1.032e-02	1.010e+00	3.124e-03	3.303	0.000958 ***
I(overall^(0.5))	-1.295e+00	2.740e-01	1.235e-01	-10.483	< 2e-16 ***
overall	9.535e-02	1.100e+00	1.457e-02	6.544	5.99e-11 ***
I(overall^2)	-1.314e-04	9.999e-01	2.901e-05	-4.531	5.86e-06 ***
positionD	-1.267e-01	8.810e-01	8.053e-02	-1.573	0.115764
age	3.568e-01	1.429e+00	6.643e-02	5.371	7.83e-08 ***
naeuNA	-4.240e-01	6.544e-01	8.437e-02	-5.026	5.02e-07 ***
round	-4.154e-01	6.601e-01	1.445e-01	-2.875	0.004037 **
----					
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1					
	exp(coef)	exp(-coef)	lower .95	upper .95	
height	0.8930	1.1198	0.8529	0.9351	
weight	1.0104	0.9897	1.0042	1.0166	
I(overall^(0.5))	0.2740	3.6493	0.2151	0.3491	
overall	1.1000	0.9091	1.0691	1.1319	
I(overall^2)	0.9999	1.0001	0.9998	0.9999	
positionD	0.8810	1.1350	0.7524	1.0317	
age	1.4287	0.6999	1.2543	1.6274	
naeuNA	0.6544	1.5281	0.5547	0.7721	
round	0.6601	1.5150	0.4973	0.8761	

10th Game  
Benchmark

	coef	exp(coef)	se(coef)	z	Pr(> z )						
height	-1.139e-01	8.923e-01	2.644e-02	-4.309	1.64e-05 ***						
weight	1.017e-02	1.010e+00	3.527e-03	2.883	0.00394 **						
I(overall^(0.5))	-1.551e+00	2.120e-01	1.372e-01	-11.306	< 2e-16 ***						
overall	1.215e-01	1.129e+00	1.636e-02	7.423	1.14e-13 ***						
I(overall^2)	-1.869e-04	9.998e-01	3.284e-05	-5.691	1.26e-08 ***						
positionD	-1.200e-01	8.869e-01	8.964e-02	-1.339	0.18052						
age	3.808e-01	1.463e+00	7.382e-02	5.158	2.50e-07 ***						
naeuNA	-4.728e-01	6.232e-01	9.363e-02	-5.050	4.41e-07 ***						
round	-4.306e-01	6.501e-01	1.626e-01	-2.649	0.00808 **						
----											
Signif. codes:	0	****	0.001	***	0.01	**	0.05	.	0.1	'	1
	exp(coef)	exp(-coef)	lower	.95	upper	.95					
height	0.8923	1.1207	0.8473	0.9398							
weight	1.0102	0.9899	1.0033	1.0172							
I(overall^(0.5))	0.2120	4.7173	0.1620	0.2774							
overall	1.1292	0.8856	1.0935	1.1660							
I(overall^2)	0.9998	1.0002	0.9997	0.9999							
positionD	0.8869	1.1275	0.7440	1.0572							
age	1.4634	0.6833	1.2663	1.6912							
naeuNA	0.6232	1.6045	0.5187	0.7488							
round	0.6501	1.5382	0.4727	0.8941							

40th Game  
Benchmark


	coef	exp(coef)	se(coef)	z	Pr(> z )						
height	-0.1060682	0.8993633	0.0299011	-3.547	0.000389 ***						
weight	0.0074141	1.0074416	0.0040374	1.836	0.066308 .						
I(overall^(0.5))	-1.7211444	0.1788614	0.1519049	-11.330	< 2e-16 ***						
overall	0.1420136	1.1525923	0.0186304	7.623	2.49e-14 ***						
I(overall^2)	-0.0002150	0.9997850	0.0000374	-5.749	8.98e-09 ***						
positionD	-0.0801400	0.9229871	0.1011928	-0.792	0.428388						
age	0.4109134	1.5081947	0.0846442	4.855	1.21e-06 ***						
naeuNA	-0.4749296	0.6219288	0.1061682	-4.473	7.70e-06 ***						
round	-0.5993628	0.5491615	0.1894869	-3.163	0.001561 **						
----											
Signif. codes:	0	****	0.001	***	0.01	**	0.05	.	0.1	'	1
	exp(coef)	exp(-coef)	lower	.95	upper	.95					
height	0.8994	1.1119	0.8482	0.9536							
weight	1.0074	0.9926	0.9995	1.0154							
I(overall^(0.5))	0.1789	5.5909	0.1328	0.2409							
overall	1.1526	0.8676	1.1113	1.1955							
I(overall^2)	0.9998	1.0002	0.9997	0.9999							
positionD	0.9230	1.0834	0.7569	1.1255							
age	1.5082	0.6630	1.2776	1.7804							
naeuNA	0.6219	1.6079	0.5051	0.7658							
round	0.5492	1.8210	0.3788	0.7961							

80th Game  
Benchmark

	coef	exp(coef)	se(coef)	z	Pr(> z )						
height	-8.069e-02	9.225e-01	3.390e-02	-2.380	0.01732 *						
weight	5.765e-03	1.006e+00	4.612e-03	1.250	0.21134						
I(overall^(0.5))	-1.713e+00	1.803e-01	1.685e-01	-10.167	< 2e-16 **						
overall	1.433e-01	1.154e+00	2.125e-02	6.740	1.58e-11 **						
I(overall^2)	-2.241e-04	9.998e-01	4.288e-05	-5.226	1.73e-07 **						
positionD	-7.355e-02	9.291e-01	1.147e-01	-0.641	0.52152						
age	4.006e-01	1.493e+00	9.514e-02	4.211	2.55e-05 **						
naeuNA	-3.439e-01	7.090e-01	1.186e-01	-2.900	0.00373 **						
round	-5.871e-01	5.559e-01	2.186e-01	-2.686	0.00724 **						
----											
Signif. codes:	0	****	0.001	***	0.01	**	0.05	.	0.1	'	1
	exp(coef)	exp(-coef)	lower	.95	upper	.95					
height	0.9225	1.0840	0.8632	0.9859							
weight	1.0058	0.9943	0.9967	1.0149							
I(overall^(0.5))	0.1803	5.5468	0.1296	0.2508							
overall	1.1540	0.8665	1.1069	1.2031							
I(overall^2)	0.9998	1.0002	0.9997	0.9999							
positionD	0.9291	1.0763	0.7420	1.1634							
age	1.4927	0.6699	1.2388	1.7987							
naeuNA	0.7090	1.4105	0.5620	0.8945							
round	0.5559	1.7988	0.3622	0.8533							


# Appendix: Just a Ton of Kaplan-Meier Curves

2007-16 Prospect "Survival" Curves  
Time Until 1st NHL Game



# Draft Round: 10 Games


2007-16 Prospect "Survival" Curves  
Time Until 10th NHL Game





# Draft Round: 40 Games

2007-16 Prospect "Survival" Curves  
Time Until 40th NHL Game



# Draft Round: 80 Games

2007-16 Prospect "Survival" Curves  
Time Until 80th NHL Game



# Position: 1 Game

2007-16 Prospect "Survival" Curves  
Time Until 1st NHL Game





# Position: 10 Games

2007-16 Prospect "Survival" Curves  
Time Until 10th NHL Game



# Position: 40 Games

2007-16 Prospect "Survival" Curves  
Time Until 40th NHL Game



# Position: 80 Games

2007-16 Prospect "Survival" Curves  
Time Until 80th NHL Game

